



**Kliki**  
tootepiltidel  
ja allkirjadel

## MEHAANILISE ETTEANDEGA LIIMIPÜSTOL REKA MS®80 | #5551

**Bead & Dot**



### TEHNILISED ANDMED:

Mehaanilise etteandega käsipüstol 150 ml  
Töötemperatuur: reguleeritav 50-200°C  
Kuumliimi graanulid, padjakesed  
Kuumenemine töötemperatuurini ca 10 minutit  
Vastab CE sertifikaadinõuetele (IP30)  
Kaal: 850 g | võimsus: 200 W | 0.9A

1 3

- Demo [Pakarte videokanalilt](#):  
[MS200] <https://youtu.be/YM0uIVVh1oQ>

- Otsikud (lisavarustus).  
<https://pakarte.com/est/TRN>  
[https://pakarte.com/est/TRN\\_ALL\\_16PGS.pdf](https://pakarte.com/est/TRN_ALL_16PGS.pdf)



- Lisavarustus, abivahendid.  
[https://pakarte.com/est/TRV\\_all\\_EST.pdf](https://pakarte.com/est/TRV_all_EST.pdf)



- [Saada päring oma kontaktandmetega meile:](#)

**reka** ■

**PAKARTE OÜ**  
Mobiil 5656 9482  
[pakarte@pakarte.com](mailto:pakarte@pakarte.com)  
[www.pakarte.com](http://www.pakarte.com)


**WWW.PAKARTE.COM**

**KASUTUSJUHEND**

**MS 80**



2  
3



# Legend for Glue Applicator MS 80 – Art. 5551 (230 V), 5560 (120 V)



Item	Article		Item	Article	
1	<b>3859</b>	Casing cpl.	10	<b>3858</b>	Bend protection
2	<b>3861</b>	Cap	11	<b>3791</b>	O-ring 20x2,5
3	<b>3911</b>	Nozzle No. 2	12	<b>3827</b>	O-ring 28x3,5
4	<b>3759</b>	Exit piece			
5	<b>3762</b>	Piston cpl.			
6	<b>3939</b>	Trigger cpl.			
7	<b>3885</b>	Lid cpl.			
8	<b>3882</b>	Stand			
9	<b>3783</b>	Cord for 230 V			
	<b>3886</b>	Cord with UL-Plug for 120 V			

3 3

MS 80

## Technical Specifications

Denomination	MS 80
Article number	<b>5551</b> (230 V), <b>5560</b> (120 V)
Weight	750g
Power supply	230 V / 50 Hz, 120 V / 60 Hz
Power consumption	200 Watt
Current consumption	0,9 A
Degree of protection	I
Class of protection	IP 30
Temperature control	Thermostat
Temperature limitation	20-200 °C
Temperature constancy	+ - 5 °C
Operating temperature	10 min.
Tank capacity	150 ml
Conveying system	Mechanics
Length of electric cable	1,8 m
Recommended melts	Hot-melt granulate and pillows

DISTRIBUTOR IN BALTICS:

**PAKARTE LLC**

Phone +372 5656 9482

[pakarte@pakarte.com](mailto:pakarte@pakarte.com)

[www.pakarte.com](http://www.pakarte.com)

## Accessories (optional)

Balancer art. **3544** Download our full nozzle range at [www.nozzles.reka-klebetchnik.de](http://www.nozzles.reka-klebetchnik.de)



More accessories like cleaning liquid or a funnel can be found at [www.reka-klebetchnik.de](http://www.reka-klebetchnik.de)